

METHOD AND SYSTEM FOR GENERATING HYPERLINKED PHYSICAL COPIES  
OF HYPERLINKED ELECTRONIC DOCUMENTS

*Field of the invention*

The present invention relates to interactive hypermedia  
5 systems, electronic publishing and "print-on-demand"  
systems, and more particularly to a method and system for  
generating, from an electronic document comprising a  
plurality of hyperlinks to multimedia information or  
services, a physical document copy of the electronic  
10 document, and a look-up table comprising, for all hyperlinks  
present in the electronic document, corresponding physical  
coordinates (i.e., page number and physical page  
coordinates) in the physical copy.

*Background of the invention*

15 **INTERNET**

The Internet is a global network of computers and  
computers networks (the "Net"). The Internet connects  
computers that use a variety of different operating systems  
or languages, including UNIX, DOS, Windows, Macintosh, and  
20 others. To facilitate and allow the communication among  
these various systems and languages, the Internet uses a  
language referred to as TCP/IP ("Transmission Control  
Protocol/Internet Protocol"). TCP/IP protocol supports three  
basic applications on the Internet :

- 25
- transmitting and receiving electronic mail,
  - logging into remote computers (the "Telnet"), and

- transferring files and programs from one computer to another ("FTP" or "File Transfer Protocol").

### TCP/IP

The TCP/IP protocol suite is named for two of the most  
5 important protocols:

- a Transmission Control Protocol (TCP), and
- an Internet Protocol (IP).

Another name for it is the Internet Protocol Suite. The  
more common term TCP/IP is used to refer to the entire  
10 protocol suite. The first design goal of TCP/IP is to build  
an interconnection of networks that provide universal  
communication services: an *internetwork*, or *internet*. Each  
physical network has its own technology dependent  
communication interface, in the form of a programming  
15 interface that provides basic communication functions  
running between the physical network and the user  
applications. The architecture of the physical networks is  
hidden from the user. The second goal of TCP/IP is to  
interconnect different physical networks to form what  
20 appears to the user to be one large network.

TCP is a transport layer protocol providing end to end  
data transfer. It is responsible for providing a reliable  
exchange of information between 2 computer systems. Multiple  
applications can be supported simultaneously over one TCP  
25 connection between two computer systems.

IP is an internetwork layer protocol hiding the  
physical network architecture below it. Part of the  
communicating messages between computers is a routing  
function that ensures that messages will be correctly

directed within the network to be delivered to their destination. IP provides this routing function. An IP message is called an IP Datagram.

Application Level protocols are used on top of TCP/IP to transfer user and application data from one origin computer system to one destination computer system. Such Application Level protocols are for instance File Transfer Protocol (FTP), Telnet, Gopher, Hyper Text Transfer Protocol (HTTP).

#### 10 IP ROUTER

A "Router" is a computer that interconnects two networks and forwards messages from one network to the other. Routers are able to select the best transmission path between networks. The basic routing function is implemented in the IP layer of the TCP/IP protocol stack, so any host (or computer) or workstation running TCP/IP over more than one interface could, in theory, forward messages between networks. Because IP implements the basic routing functions, the term "IP Router" is often used. However, dedicated network hardware devices called "Routers" can provide more sophisticated routing functions than the minimum functions implemented in IP.

#### WORLD WIDE WEB

With the increasing size and complexity of the Internet, tools have been developed to help find information on the network, often called navigators or navigation systems. Navigation systems that have been developed include standards such as Archie, Gopher and WAIS. The World Wide

Web ("WWW" or "the Web") is a recent superior navigation system. The Web is:

- an Internet-based navigation system,
- an information distribution and management system for
- 5 the Internet, and
- a dynamic format for communicating on the Web.

The Web seamlessly, for the use, integrates format of information, including still images, text, audio and video. A user on the Web using a graphical user interface ("GUI",  
 10 pronounced "gooey") may transparently communicate with different host computers on the system, different system applications (including FTP and Telnet), and different information formats for files and documents including, for example, text, sound and graphics.

## 15 **HYPERMEDIA**

The Web uses hypertext and hypermedia. Hypertext is a subset of hypermedia and refers to computer-based "documents" in which readers move from one place to another in a document, or to another document, in a non-linear  
 20 manner. To do this, the Web uses a client-server architecture. The Web servers enable the user to access hypertext and hypermedia information through the Web and the user's computer. (The user's computer is referred to as a client computer of the Web Server computers.) The clients  
 25 send requests to the Web Servers, which react, search and respond. The Web allows client application software to request and receive hypermedia documents (including formatted text, audio, video and graphics) with hypertext

link capabilities to other hypermedia documents, from a Web file server. The Web, then, can be viewed as a collection of document files residing on Web host computers that are interconnected by hyperlinks using networking protocols, forming a virtual "web" that spans the Internet.

### UNIFORM RESOURCE LOCATORS

A resource of the Internet is unambiguously identified by a Uniform Resource Locator (URL), which is a pointer to a particular resource at a particular location. A URL specifies the protocol used to access a server (e.g. HTTP, FTP,...), the name of the server, and the location of a file on that server. To insure that data is sent to and received by the appropriate systems on the Internet, every "device" (i.e., PC workstation, HTTP Server, File Server, etc.) has a unique address, called IP address. The IP address is presently a 32 bit binary address, which is fine for computers to read, but is cumbersome for a human user to memorize or use. To make them more "user-friendly", symbolic names are assigned to IP addresses. The mapping between IP addresses and symbolic names, for example *myhost.ibm.com*, is done by a "Domain Name Server".

### HYPER TEXT TRANSFER PROTOCOL

Each Web page that appears on client monitors of the Web may appear as a complex document that integrates, for example, text, images, sounds and animation. Each such page may also contain hyperlinks to other Web documents so that a user at a client computer using a mouse may click on icons

and may activate hyperlink jumps to a new page (which is a graphical representation of another document file) on the same or a different Web server.

## WEB SERVERS

5 A Web server is a software program on a Web host computer that answers requests from Web clients, typically over the Internet. All Web servers use a language or protocol to communicate with Web clients which is called Hyper Text Transfer Protocol ("HTTP"). All types of data can  
10 be exchanged among Web servers and clients using this protocol, including Hyper Text Markup Language ("HTML"), graphics, sound and video. HTML describes the layout, contents and hyperlinks of the documents and pages. Web clients when browsing :

- 15 • convert user specified commands into HTTP GET requests,
- connect to the appropriate Web server to get information, and
- wait for a response. The response from the server can be the requested document or an error message.

20 After the document or an error message is returned, the connection between the Web client and the Web server is closed.

First version of HTTP is a stateless protocol. That is, with HTTP there is no continuous connection between each  
25 client and each server. The Web client using HTTP receives a response as HTML data or other data. This description applies to version 1.0 of HTTP protocol, while the new

version 1.1 breaks this barrier of stateless protocol by keeping the connection between the server and client alive under certain conditions.

#### WEB BROWSER

5       The Web client formats and presents the data received from the Web server for example by activating an ancillary application such as a sound player. The Web Client is also referred to as the Web browser, since it in fact browses documents retrieved from the Web Server. Web browsers are  
10 used by the Internet user to convert information received into a format that can be displayed by the Web browser on the video screen (or through the audio speakers) of the user workstation. The Web browser is thus an application program that runs on the user workstation and that acts as a  
15 translator of HTML information. Several different commercial Web browsers are available including, for example, the Netscape Communicator browser. The Web browser is also used to recognize clicks on the screen made by a user with the pointing device of his workstation. When the user clicks  
20 with his pointing device on a portion of the screen associated with a hypertext link, the Web browser recognizes the user's action as a request to get a file from a Web site identified by an URL. The Web server delivers the data to the Web browser, which translates it into a format that can  
25 be presented to the user.

Sometimes, the information returned from the Web server (and subsequently to the Web browser) cannot be processed by the particular Web browser used in the user workstation. This occurs, for example, when video data is returned to a

Web browser that does not have the appropriate application software to display the video on the user workstation. In this case, the Web browser enlists a specific application resident on the Web client to display the incoming data. For  
5 example, when the Web browser receives video data from the Internet, it frequently opens a viewer, which appears as a window on the screen of the Web client. This viewer will process the incoming video data through the Web browser and will display the video on the user's screen. The Web browser  
10 knows which viewer is required for a particular file based on an extension (Multipurpose Internet Mail Extension (MIME)) attached to the file name.

#### ACTIVATING HYPERLINKS

On an internet page, hyperlinks can be assigned to  
15 textual information or to pictures. A hypertext link may appear as a picture, or as a word or sentence, possibly underlined or otherwise accentuated to indicate that it is an embedded link and not just normal, informative text.

Figure 1 shows a conventional method for activating  
20 hyperlinks present in an electronic document. When the user clicks on an hyperlink, the Web browser records the position of the pointer. The Web browser then refers to a look-up table to identify the URL address assigned to the position of the pointer. When clicked, the Web browser program  
25 requests a connection to the Web server hosting the file, and also requests from the Web server the file identified by the URL. Once the Web server accepts the connection requested by the Web browser, the Web server transmits back to the Web browser the requested file. Once the requested



file is received, the Web browser delivers or presents the content of the file to the requesting user.

By placing and clicking the pointing device on the text or on a picture, the user selects a new internet page. In  
5 either case, text or picture, the Internet page comprises linked locations or "hot spots," located at (X, Y) coordinates on the page. When the Web browser detects the click of a pointing device over a "hotspot, it identifies the associated URL and sends the filename portion of the URL  
10 to the Web server located at the domain name portion of the URL. A picture may further be flagged as having a "map" associated with it. If it does, the relative coordinates of the click within the picture are sent to the Web server as well. The Web server then determines which page to return,  
15 based on the location of the click.

#### USER INTERACTION WITH ELECTRONIC AND PHYSICAL DOCUMENTS

During the last years, due mainly to the widespread use of personal computers and CD-ROMs and due to the universal access of millions of users to the World Wide Web, the  
20 "multimedia publishing" has veritably exploded. An enormous amount of multimedia and hypermedia information combining text, images and sounds, are now accessible to users of personal computers.

During many years, conventional electronic documents  
25 (e.g., e-books) were displayed on computer screens on a page-by-page format. The page-by-page presentation has made the on-line review of large electronic documents a slow and inefficient operation. To solve this problem, specific programs for reading softcopy book have been devised. For

example, IBM BookManager (TM) or Adobe Acrobat (TM) programs have been specially designed to help users to manage, search and read books directly on the screen.

Also, when browsing a document on the Web, the problem with most conventional Web browsers is that, when a user selects and activates a hyperlink, a new page is loaded in the Web browser, and this new page completely replaces the previous page. The previous page is not displayed simultaneously with the new page, although the user can easily go back and forth between the two pages (the content of the pages is commonly cached), using the familiar browser commands "forward" and "backward". However, the user often desires to see at the same time both the original page and the linked page, but this is not possible with conventional Web browsers unless doing complicated actions. For example, two different windows can be opened; some Web browsers allow multiple parent windows while others only allow multiple children windows. In either case, additional user actions are required. It may also be difficult to arrange the two windows on the screen so as to satisfactorily view the two pages. Even when a feature in a Web browser allows the simultaneous display of multiple fields or "frames" within a single window, this feature cannot be used to simultaneously display an original page and a linked page. All of the frames within the window collectively constitute a "page" or document, so when a hyperlink in any given frame within the window is selected, the original page is still replaced.

For the reasons discussed above and for many other technical or ergonomic reasons, it is a fact today that reading paper cannot be compared with reading an electronic

media (e.g., an e-book by using a MS Reader). Even if the enthusiasm of the public for new computer-based multimedia services has been considered by many analysts as a threat to the conventional forms of hard-copied publishing, the experience shows that reading paper remains preferable for most people, whether they are familiar with computers or not.

For most people, paper has a number of advantages:

- paper is easy to read, mark, and manipulate;
- 10 • paper is portable, familiar and can be easily distributed.

In fact, people are very skilled at browsing through paper catalogs, magazines, newspapers, maps and books by flipping through the pages and glancing at pictures and text. A collection of printed color photographs can be much easily and quickly browsed than a sequence of computer screens. In publication entitled "The Last Book", IBM Systems Journal, Vol 36, No. 3 Vol 36, No. 3 - 1997, by J. Jacobson, B. Comiskey, C. Turner, J. Albert, and P. Tsao of the MIT Media Laboratory, the authors compare printed books and computer screens in the following terms:

*"A book represents a fundamentally different entity than a computer screen in that it is a physical embodiment of a large number of simultaneous high-resolution displays. When we turn the page, we do not lose the previous page. Through evolution the brain has developed a highly sophisticated spatial map. Persons*

familiar with a manual or textbook can find information that they are seeking with high specificity, as evidenced by their ability to remember whether something that was seen only briefly was on the right side or left side of a page, for instance. Furthermore their haptic connection with the brain's spatial map comprises a highly natural and effective interface, when such information is embodied on actual multiple physical pages.

Another aspect of embodying information on multiple, simultaneous pages is that of serendipity and comparison. We may leaf through a large volume of text and graphics, inserting a finger bookmark into those areas of greatest interest. Similarly, we may assemble a large body of similar matter in order to view elements in contrast to one another, such as might be done to determine which of a particular set of graphical designs is most satisfying".

Notwithstanding the advances made in computer technology in the field of recording and processing data, the use of paper has not decreased. Paper continues to be the information display system the most used. Among all other display systems, paper is portable, available everywhere, can be easily used and manipulated and provides the highest resolution. The accumulation of documents from meetings, mail, paper-based creative and planning work is a common experience. Moreover, because a paper document is more usable than a computer screen for displaying information, it is obvious that a large portion of the paper accumulation results from the print of electronic documents.

Most people perform their daily work (such as reading, revisions, additions, meetings, projects, presentations, annotations) on paper and use printed copies of original electronic documents.

5 As a conclusion, even if many electronic document systems (e.g., Web browsers, e-books readers) attempt to replace paper by providing new applications such as the access to multimedia information and services, however a lot of users today still work with paper. Many analysts admit  
10 that: "consumers will insist on printing most of their documents" (e.g., e-books, for reading, for browsing, for consulting). Moreover, a new publishing technology that has been named "Printing-on-demand" is contributing to keep alive this preference of people for printed information.

15 Print-on-demand is in fact a new printing technology, and also a new form of information distribution that makes possible the production of very low print runs. It is a production system where just the required number of copies is printed. Unlike so-called "short-run" printing, defined  
20 as traditional book printing in small batches (50 - 100) for very limited stockholding, print-on-demand enables the printing of a single book in response to a particular customer order. That means that on-demand titles never goes into stock. The ultimate step in print-on-demand is the  
25 production of one copy at a time. This technology dramatically reduces the storage of hard copies and thus reduces the inventories, the distribution costs and the expense for recycling or destroying unused copies. Moreover this technology enables on-demand reprinting, which means

that titles no longer fall "out of print". Print-on-demand requires the application of so-called "digital printing", which is a computer-to-print method producing electronically black and white or multicolored printed products directly from an information system using a digitally controlled printing system.

The widespread use of Internet and mobile communications offer a lot of new opportunities to combine electronic and printed media, in other words to create "media-adaptive multimedia" products. The philosophy behind the concept of "media-adaptive multimedia" is that information must be transferred to users in a form adapted to their needs. In fact, traditionally printed documents, digitally printed documents and multimedia products must be complementary. The different components must be combined depending on the users needs. To facilitate this evolution, the "electronic content should be accessible directly from the printed medium".

When an electronic document comprising:

- hypertext (e.g. an e-book with hyperlinks from different items - words, pictures, foot notes, symbols, icons - to multimedia information or services), or
- attachements (e.g., an e-mail with several files attached, anchored by file icons or "hotspots" on the same note),

is printed, the fundamental characteristic of this electronic document which consists in accessing multimedia

services disappears. It becomes impossible to activate the hyperlinks comprised in the electronic document or to edit and view the attachments from the printed copy. Complementary means are required to identify the locations of the hyperlinks on the printed surface of the physical copy and to activate them directly.

Therefore, there is a real need to provide users with new systems and methods for improving physical copies of electronic (hyperlinked) documents, (e.g., e-books, Web pages, Lotus Notes, MS Word, Lotus WordPro or Adobe Portable Document Format (PDF)) and in particular for accessing from a physical copy information accessible from an original electronic document, said information comprising images, sounds and/or additional text.

None of the methods referenced in the prior art describes a system that would enable a user to automatically generate, from an electronic hyperlinked document, the information required to access to hypermedia information or services simply by touching with a fingertip a physical unmarked copy of the original electronic document, (for instance, to edit and view an attached file simply by touching the printed icon of the attachment on the printed copy of an IBM Lotus Notes note).

### *Objects of the invention*

It is an object of the present invention to improve the current systems and methods of selecting and accessing electronic multimedia information or services.

It is another object of the present invention to select and to access from a physical copy the electronic multimedia information or services that can be accessed from the original electronic document.

5 It is another object of the present invention to select and access electronic multimedia information or services simply by touching a physical copy of an electronic document.

### *Summary of the invention*

10 The present invention discloses a method and a system for automatically generating an hyperlink table, from an electronic document comprising hyperlinks, for identifying, locating and activating these hyperlinks from a physical copy of this electronic document. The method, for use in a  
15 user system, comprises the steps of:

- selecting an electronic document;
- creating an hyperlink table;
- associating said hyperlink table with a physical copy of said electronic document, said physical copy comprising  
20 one or a plurality of pages;

for each page of the physical copy:

- identifying in the electronic document, the one or plurality of hyperlink items comprised in the page;



- storing in the hyperlink table an identification of each identified hyperlink item;
- retrieving from the electronic document identification and location of information and/or service associated with each identified hyperlink item on the page;
- storing in the hyperlink table said identification and location of information and/or service associated with each identified hyperlink item;
- retrieving from the electronic document, electronic coordinates of each identified hyperlinked item on the page;
- translating said electronic coordinates into physical coordinates on the page of the physical copy;
- storing said physical coordinates in the hyperlink table.

The foregoing, together with other objects, features, and advantages of this invention can be better appreciated with reference to the following specification, claims and drawings.

#### *Brief description of the drawings*

The novel and inventive features believed characteristics of the invention are set forth in the appended claims. The invention itself, however, as well as a preferred mode of use, further objects and advantages thereof, will best be understood by reference to the following detailed description of an illustrative detailed embodiment when read in conjunction with the accompanying drawings, wherein :

- **Figure 1** shows the conventional method for accessing hypermedia information or services directly from an hyperlinked electronic document (e.g., by activating a hyperlink on a Web page).
- 5 • **Figure 2** is a general view of the system and method for generating, from an hyperlinked electronic document, a physical copy and an associated hyperlink table according to the present invention.
- 10 • **Figure 3** shows the system and method for selecting and accessing hypermedia information or services from a physical document.
- 15 • **Figure 4** shows the method for translating the position (coordinates  $X_e, Y_e$ ) of an hyperlink on an electronic document into a position (page number and coordinates  $X_p, Y_p$ ) on a physical copy of said electronic document according to the present invention.
- **Figure 5** shows an example of hyperlink table automatically generated from an electronic document according to the present invention.
- 20 • **Figure 6** shows how the different components of the invention interact for activating an hyperlink from the physical copy of the electronic document.
- **Figure 7** shows the internal structure of an opto-touch foil as used in the present invention.

- Figure 8 is a flow chart of the method for automatically generating an hyperlink table associated with the physical copy of an electronic document according to the present invention.
- 5 • Figure 9 is a flow chart of the method for activating hyperlinks from a physical copy of an electronic document according to the present invention.
- Figure 10 shows a physical copy of an electronic document and its associated hyperlink table according to the present invention.

*Preferred embodiment of the invention*

SYSTEM FOR SELECTING AND ACCESSING MULTIMEDIA INFORMATION FROM PHYSICAL DOCUMENTS

Non-published european patent application FR9-2000-0022  
 15 (European Application n° 00480037.1) entitled "Method and System for Accessing Interactive Multimedia Information or Services by Touching Highlighted Items on Physical Documents", by Fernando INCERTIS CARRO, discloses a method and system for creating hyperlinks from selected items  
 20 (e.g., words, pictures, foot notes, symbols, icons) on hard-copy documents to locally or remotely accessible servers, for highlighting by means of a light emitting source the position of each selected item, and for activating anyone of said hyperlinks simply by touching the  
 25 hard-copy document over said highlighted items. As shown in

Figure 3, the system according to the referenced invention comprises:

- (303) A physical document (e.g., a book) comprising one or a plurality of pages.
- 5 • (304) An opto-touch foil connected to a user workstation. The opto-touch foil is to be placed over or under a page (or a portion) of the document.
- (300) A user workstation (preferably connected to a communication network) for accessing and displaying
- 10 multimedia information and services.

#### Physical Document

The physical document (303) can be of any kind, for example, a newspaper, a geographic map, a novel book, a text book, a technical book, a commercial catalog or even any

15 other type of engraved, written, or printed surface (e.g., a painting in a museum of art). The material of the document can be paper, plastic, wood or any other material.

#### Opto-Touch Foil

In a preferred embodiment of the referenced patent

20 application, the opto-touch foil is built by stacking a transparent resistive or capacitive film, of the type commonly used to manufacture touch screens over a transparent organic light emitting device film (TOLED film). Figure 7 shows the cross section of an opto-touch foil (700)

25 comprising:

- a transparent resistive or capacitive touch foil (701), of the type used commonly to manufacture touch screens.

The generated signal is generally proportional to the coordinates of the point that is pressed or touched (703),

- a transparent light emitting foil (702), which is a transparent, bright, self-emitting display that can emit light (704) from either one or both surfaces.

The combination of both foils (i.e., the touch foil stacked over the light emitting foil) forms an opto-touch foil (700). Figure 7 represents an opto-touch foil placed and aligned over a physical document (705) comprising a plurality of items (706) (i.e., words, pictures, icons, etc.) printed (or written, painted, engraved ...) on its surface. One example of touch foil technology it would be possible to use, is the *TouchTek4* (4-wire Analog Resistive Touchscreens) of *MICRO TOUCH* company (*TouchTek™* is a trademark of the *MICRO TOUCH* Company). The *TouchTek4* technology is fully described in the Web site of *MICRO TOUCH* Company at <http://www.microtouch.com/>.

The light emitting foil may be made of an array of TOLED's (Transparent Organic Light Emitting Devices), of the type used today to create vision area displays on windshields, cockpits, helmets and eyeglasses. TOLED displays, which can be up to 85% transparent when not energized are today manufactured with standard silicon semiconductors. One example of light emitting foil technology it would be possible to use is the technology used for the TOLEDs manufactured by *UNIVERSAL DISPLAY CORPORATION*. The TOLED technology is fully described in the Web site of *UNIVERSAL DISPLAY CORPORATION* at <http://www.universaldisplay.com/toled.html>.

### User Workstation

The user workstation (300) is used to access information and/or services stored locally or located on one or a plurality of servers (306) connected to the network (305). The user workstation may be, for example, an Internet appliance, a multimedia Personal Computer (PC), a set-top box, a TV monitor, a game console ... The opto-touch foil may communicate with the user workstation by means of a cable, a wire pair, an infrared link, or a wireless radio link.

### Information and/or Service Access

When the user goes to a new portion of a document (303) (a new page of a book for example), he places the opto-touch foil (304) over (or under) the selected portion and enters in the workstation the reference of this portion (the page number for instance). In a preferred embodiment of the referenced invention, the page number can be entered simply by touching some buttons marked on the top (or bottom) of the opto-touch foil. The page number may be also entered directly by means of the keyboard, the mouse or the touch screen of the user workstation or by any other means such as a bar code reader ... The hyperlinked items (items that can be selected to access information on a server) on this page, are then automatically illuminated and highlighted on the surface of the document by the light emitting foil. This light emitting foil operates under the control of the user workstation (300). This illumination and highlighting allows the localization and identification of all hyperlinked items on the page selected by the user.

10022210501  
FOI b7E b7C  
Illuminated items are selected by pressing the opto-touch foil. When the user selects an item (307) among all illuminated items (302), the user workstation (300) receives from the opto-touch foil (304) a signal indicating  
5 the position of this selected item on the physical document (303). The user workstation identifies and locates referring to a hyperlink table (308) the information and/or the service associated with the position of the selected item (307). If the information and/or service is located in a  
10 remote server (306), a request is sent to this server. If the information and/or the service is stored in the user workstation (300), then this information and/or service is accessed locally.

In a particular embodiment of the referenced invention,  
15 shown in Figure 6, the user workstation (600) is connected to the Internet network (601). The user workstation comprises a user interface (602) including a Web Browser (603) (also called "Web Client") to access the World-Wide-Web (WWW). In order to access the Web pages  
20 associated with an illuminated item (607) on a document (606), the user touches with its finger the opto-touch foil (605) over the illuminated item (609) he wishes to select. The position of the illuminated item selected on the opto-touch foil identifies the Web server (604) and the Web  
25 pages the user wants to retrieve and display. The Web Browser program (603) sends a HTTP request (610) to the identified Web Server (604). The response (611) to the request (HTTP response) is sent by the Web Server (604) in the reverse direction to the Web Browser (603). The HTTP

response comprises the requested Web pages associated with the selected illuminated item.

#### Manual Creation of Hyperlinks on a Physical Document

The foregoing referenced invention also discloses a manual method of creating hyperlinks, by touching hyperlinked items on a physical document. The method comprises the steps of:

- creating a hyperlink table for a physical document; said physical document comprising one or a plurality of pages;
- receiving and storing in said hyperlink table an identification of the physical document;

for each page of said physical document:

- receiving and storing in said hyperlink table an identification of the page and an identification of hyperlinked items defined by the user on said page;
- receiving and storing in said hyperlink table identification and location of information or service associated with each defined hyperlinked item;
- determining the position of points pressed on a opto-touch foil; said opto-touch foil being placed and aligned over or under the page of the physical document; said opto-touch foil being pressed at points corresponding to the position of said defined hyperlinked items;
- storing the position of the points pressed in the hyperlink table, said hyperlink table comprising for



each hyperlinked item, an indication of its position on the page.

The herein referenced method for building the hyperlink table of a physical document has the main drawback of being  
 5 a cumbersome, time consuming and manually intensive procedure.

In many instances, for example when the physical document is an hard-copy of an original hyperlinked electronic document, it would be advantageous to  
 10 automatically generate directly from the original electronic document, the hyperlink table required for identifying, highlighting and activating the hyperlinks from the physical copy (e.g., a printed copy, a micro-filmed copy, a photograph or a faxed copy). An object of the present  
 15 invention is to automatically generate an hyperlinked hard-copy of any hyperlinked electronic document.

#### AUTOMATIC GENERATION OF AN HYPERLINK TABLE

As shown in Figure 2, the user receives an electronic document like, for example, a "e-book" (i.e., an electronic  
 20 book) entitled "**Early British Kingdoms**" in Adobe™ Portable Document Format (PDF).

**Note:** An Adobe PDF file offers an exact representation of a printed document. There are special tools from Adobe and third party vendors for easily creating an Adobe PDF file.  
 25 If the existing digital content of the file is available in PostScript (as are many archived printed materials), the file can be directly converted into Adobe PDF. Adobe PDF

files can also be directly generated from HTML files, from documents created with *Lotus Word Pro*, *Microsoft Office*, or virtually from any electronic file. With the Adobe PDF creation process, links and bookmarks from table of contents, index, or any cross-references can be automatically generated. Once created, Adobe PDF files can be distributed digitally, exactly as intended. It is important to note that it is possible to create with Adobe Acrobat, PDF hyperlinked documents. Article entitled "Create a Web Link", Adobe Tips & Techniques, which can be found on the Web site:

<http://www.adobe.com/epaper/tips/acweblinks/main.html>

describes the technique for creating Web hyperlinks with Adobe Acrobat 4.0 PDF documents. Adobe PDF files can be linked to any URL, whether this URL is a path to a local file or a Web site. Also URLs can be added to PDF documents by importing them from a file or a Web site. The hyperlink information (i.e., hyperlink sources, hyperlink names and destination URLs ) of a PDF file is stored in the "Hyperlinks palette" of the file.

Figure 8 shows a preferred embodiment of the invention. The method for generating (or creating) an hyperlink table (201) from an electronic document (203) comprising one or a plurality of hyperlinks, for associating said hyperlink table to a physical copy (202) of this electronic document, and for selecting and accessing information or services (301) simply by touching over this physical copy (303) the

positions corresponding to the hyperlinked items (302) of the electronic document (203), comprises the steps of:

- (801) assigning a reference number to a physical copy of an electronic document;
- 5 • (802) creating an hyperlink table and associating said hyperlink table with the physical copy using the assigned reference number;
- (803) identifying the one or plurality of hyperlinks comprised in the electronic document; retrieving from the electronic document, information related to each identified hyperlink, said information comprising hyperlink name or description, linked service and destination URL and copying said information in the hyperlink table;
- 10 • (804) defining the relative scale of the physical copy compared with the electronic document;
- (805) retrieving from the electronic document, electronic coordinates of each identified hyperlinked item and translating said electronic coordinates to physical coordinates on the physical copy;
- 20 • (806) storing said physical coordinates in the hyperlink table associated with the physical copy;
- (807) generating the physical copy of the electronic document; printing on the physical copy a reference number; and printing on each page of the physical copy, a page number;
- 25 • (808) storing or transmitting the physical copy and the associated hyperlink table.

**(801) Assigning a Reference Number to the Physical Copy**

The user assigns a reference number (e.g., 387) for identifying the physical copy of the electronic document and the hyperlink table associated with this physical copy.

For example, a document can be uniquely identified by the combination of the seller ID and the document ID. Standards like "*Digital Object Identifiers*" (DOI) that can be used for generating documents IDs. More information on DOI can be found on:

<http://www.doi.org>.

Alternatively, the reference number can be automatically assigned by the user workstation from a list of stored reference numbers.

#### (802) Creating an Hyperlink Table and Associating said Hyperlink Table with the Physical Copy

The system then :

- creates an hyperlink table (e.g. a new table, or a new record in a database) accessible from the workstation. This hyperlink table comprises the reference number of the physical copy;
- optionally the user stores in the header of this hyperlink table other relevant information related to the electronic document such as title, author, ISBN (International Standard Book Number), date of creation, etc...

The hyperlink table may be stored within the user workstation or may be stored in an external memory accessible from the user workstation.

The header of the new created hyperlink table associated with the e-book (electronic book) entitled "**Early British Kingdoms**", shown in Figure 2, can be built as follows:

Doc: 0387	Title: "Early British Kingdoms"	Author: David Nash Ford of Binfield, Berkshire, UK
	Date: 28 / 01/ 2000	ISBN: 84-344-0856-2
Pg:		
X=	Y=	Link:

### (803) Copying Information related to Hyperlinks from the Electronic Document to the Hyperlink Table

The information related to hyperlinks (such as hyperlink name or description, type of service, destination URL ...) comprised in the data structure associated with the electronic document is identified and copied in the hyperlink table of the physical copy;

Using the present method, the list of hyperlinked items and hyperlinks destination addresses (e.g., URLs) of the PDF file of the e-book entitled "**Early British Kingdoms**" shown in Figure 2, is copied from the "*Hyperlinks palette*" of the PDF file to the hyperlink table by means API techniques described by Adobe in document entitled "*Adobe Solutions Network: Developer Program*" that can be accessed on the Web site:

<http://partners.adobe.com/asn/developer/acrosdk/docs.html>.

Once this step completed, the hyperlink table appears as follows:

Doc: 0378	Title: "Early British Kingdoms"	Author: David Nash Ford of Binfield, Berkshire, UK
-----------	---------------------------------	--

	<b>Date:</b> 28 / 01/ 2000	<b>ISBN:</b> 84-344-0856-2
	<b>Link:</b> Buellt & Gwerthrynion	<a href="http://freespace.virgin.net/david.ford2/buellt.html">http://freespace.virgin.net/david.ford2/buellt.html</a>
	<b>Link:</b> Caer-Baddan (Bath)	<a href="http://freespace.virgin.net/david.ford2/south.html#Gloi">http://freespace.virgin.net/david.ford2/south.html#Gloi</a>
	<b>Link:</b> Caer-Celemion (Silchester)	<a href="http://freespace.virgin.net/david.ford2/vortigern.html">http://freespace.virgin.net/david.ford2/vortigern.html</a>
	<b>Link:</b> Ceredigion	<a href="http://freespace.virgin.net/david.ford2/ceredigion.html">http://freespace.virgin.net/david.ford2/ceredigion.html</a>
*****	*****	*****
	<b>Link: Editor Phone Number</b>	<b>Phone://54-26-555-1234</b>
*****	*****	*****
*****	*****	*****
	<b>Link:</b> Mabinogion	<a href="http://www.cyberphile.co.uk/~taff/taffnet/mabinogion/mabinogion.htm">http://www.cyberphile.co.uk/~taff/taffnet/mabinogion/mabinogion.htm</a>
	<b>Link:</b> Avalon	<a href="http://freespace.virgin.net/david.ford2/avalon.html">http://freespace.virgin.net/david.ford2/avalon.html</a>
	<b>Link:</b> Afallach	<a href="http://freespace.virgin.net/david.ford2/gods.html#Afallach">http://freespace.virgin.net/david.ford2/gods.html#Afallach</a>
	<b>Link:</b> Beli Mawr	<a href="http://freespace.virgin.net/david.ford2/gods.html#Beli">http://freespace.virgin.net/david.ford2/gods.html#Beli</a>
*****	*****	*****
*****	*****	*****
	<b>Link:</b> St. Joseph of Arimathea	<a href="http://freespace.virgin.net/david.ford2/joseph.html">http://freespace.virgin.net/david.ford2/joseph.html</a>
	<b>Link:</b> The Kings of Dumnonia	<a href="http://freespace.virgin.net/david.ford2/dumnonia.html">http://freespace.virgin.net/david.ford2/dumnonia.html</a>
	<b>Link:</b> Eudaf Hen & Conan Meri	<a href="http://freespace.virgin.net/david.ford2/eudanc.html">http://freespace.virgin.net/david.ford2/eudanc.html</a>
*****	*****	*****

The information or service associated with the hyperlinked item may be stored locally in the user workstation. In this case, an identification of the information or service (local address, file name, exec name ...) within the user workstation must be stored in the hyperlink table.

#### (804) Determining the Relative Scale of the Physical Copy Compared with the Electronic Document;

This step is optional if the dimensions of the electronic document, as shown on the user workstation screen are identical to the dimensions the printed document This

is the case for files edited with modern word processors, like *Lotus Word Pro*, *MS Word* or *Adobe Acrobat*.

If the dimensions of the displayed document and the dimensions of the printed document are different (i.e., if the vertical or horizontal dimensions are reduced or magnified), then the horizontal (X) and vertical (Y) dimensions (e.g., in millimeters) of the printed document must be specified.

The object of this step is to compute two scale factors (for axis X and Y) for transforming the coordinates ( $X_e$ ,  $Y_e$ ) of each hyperlinked item in the electronic document (e.g., coordinates of a point centered on the position of an hyperlinked item, word or picture) into "paper" coordinates. The paper coordinates of a point located on a hard-copy document comprise two components:

- a page number (optionally if the physical document comprises a plurality of pages); and
- page coordinates ( $X_p$ ,  $Y_p$ ).

Transformation of "electronic" coordinates into "paper" or "physical" (hard-copy or printed) coordinates is illustrated in Figure 4 with the PDF electronic book entitled "**Early British Kingdoms**". Since Adobe PDF files offers the exact representation of the printed document, the step of determining the scale factors is not required in the present case. Scale factors of 1.0 for X and Y dimensions are used by default to perform the transformation of "electronic" coordinates to "paper" coordinates.

(805) Translating the Electronic Coordinates of each Hyperlinked item into Physical Coordinates

Using the scale factors computed in the previous step (804), (or the default scale factors equal to of 1.0), the electronic coordinates of the hyperlinks comprised in the electronic document are translated into physical coordinates. Electronic coordinates of hyperlinked items are retrieved from the electronic document. The physical coordinates of an hyperlinked item correspond to the position of said hyperlinked item on the physical document. The physical coordinates are preferably expressed as follows :

- page number (if the physical document comprises a plurality of pages), and
- page coordinates (Xp, Yp) (position of the hyperlinked item on the page corresponding to the page number).

As shown in Figure 4, the "electronic" coordinates (Xe, Ye) of the hyperlinked item "Beli Mawr", (401) on the electronic document (e.g., on an HTML page) are translated into the "paper" or "physical" coordinates with:

- a page number (402) (page 116), and
- page coordinates (Xp, Yp) (403).

Since an Adobe PDF file is the exact representation of the printed copy, the page numbers and page coordinates measured when the PDF file is displayed in full size with Acrobat Reader are the same as the page numbers and page



coordinates measured on the printed copy of the same PDF file.

#### (806) Storing Physical Coordinates of Hyperlinked Items in the Hyperlink Table

- 5 Once the translation of "electronic" coordinates into "paper" or "physical" coordinates is completed, the hyperlink table is updated. The physical coordinates of each hyperlinked item in the electronic document are copied in the hyperlink table as follows:

10

<b>Doc:</b> 0378	<b>Title:</b> "Early British Kingdoms"	<b>Author:</b> David Nash Ford of Binfield, Berkshire, UK
	<b>Date:</b> 28 / 01/ 2000	<b>ISBN:</b> 84-344-0856-2
<b>Pg:</b> 3		
<b>X=45   Y=130</b>	<b>Link:</b> Buellt & Gwerthrynion	<a href="http://freespace.virgin.net/david.ford2/buellt.html">http://freespace.virgin.net/david.ford2/buellt.html</a>
<b>X=205   Y=170</b>	<b>Link:</b> Caer-Baddan (Bath)	<a href="http://freespace.virgin.net/david.ford2/south.html#Gloi">http://freespace.virgin.net/david.ford2/south.html#Gloi</a>
<b>X=75   Y=190</b>	<b>Link:</b> Caer-Celemion (Silchester)	<a href="http://freespace.virgin.net/david.ford2/vortigern.html">http://freespace.virgin.net/david.ford2/vortigern.html</a>
<b>X=110   Y=255</b>	<b>Link:</b> Ceredigion	<a href="http://freespace.virgin.net/david.ford2/ceredigion.html">http://freespace.virgin.net/david.ford2/ceredigion.html</a>
.....		
<b>X= 30   Y=260</b>	<b>Link:</b> Editor Phone Number	<b>Phone:</b> //54-26-555-1234
.....		
<b>Pg:</b> 116		
<b>X= 30   Y= 95</b>	<b>Link:</b> Mabinogion	<a href="http://www.cyberphile.co.uk/~taff/taffnet/mabinogion/mabinogion.htm">http://www.cyberphile.co.uk/~taff/taffnet/mabinogion/mabinogion.htm</a>
<b>X=255   Y=150</b>	<b>Link:</b> Avalon	<a href="http://freespace.virgin.net/david.ford2/avalon.html">http://freespace.virgin.net/david.ford2/avalon.html</a>
<b>X=225   Y=160</b>	<b>Link:</b> Afallach	<a href="http://freespace.virgin.net/david.ford2/gods.html#Afallach">http://freespace.virgin.net/david.ford2/gods.html#Afallach</a>
<b>X=190   Y=230</b>	<b>Link:</b> Beli Mawr	<a href="http://freespace.virgin.net/david.ford2/gods.html#Beli">http://freespace.virgin.net/david.ford2/gods.html#Beli</a>
.....		
.....		
<b>Pg:</b> 139		
<b>X=25   Y=30</b>	<b>Link:</b> St.Joseph of Arimathea	<a href="http://freespace.virgin.net/david.ford2/joseph.html">http://freespace.virgin.net/david.ford2/joseph.html</a>
<b>X=80   Y=75</b>	<b>Link:</b> The Kings of Dumnonia	<a href="http://freespace.virgin.net/david.ford2/dumnonia.html">http://freespace.virgin.net/david.ford2/dumnonia.html</a>
<b>X=140   Y=135</b>	<b>Link:</b> Eudaf Hen & Conan Meri	<a href="http://freespace.virgin.net/david.ford2/eudanc.html">http://freespace.virgin.net/david.ford2/eudanc.html</a>
.....		

For example, on page 116 of physical document 387 (hyperlink table ID) entitled "*Early British Kingdoms*" written by David Nash Ford of Binfield, the page coordinates of the hyperlinked word "Mabinogion" are X=30 / Y=95. The  
 5 hyperlinked word "Mabinogion" points to the URL address :  
<http://www.cyberphile.co.uk/~taff/taffnet/mabinogion/mabinogion.htm>.

#### (807) Generating the Physical Copy of the Electronic Document

10 As shown in Figure 2, the print or physical copy (202) of the electronic document (203) is generated, and the reference number or Document ID (204) is marked on it. This reference number 38 (204) is used to identify, both the physical copy and the associated hyperlink table.

#### 15 (808) Storing or Transmitting the Physical Copy and the Associated Hyperlink Table

As shown in Figure 10, the present method generates at the same time a physical copy of the original electronic document, and an hyperlink table. Both of them can be  
 20 locally stored or transmitted over the network to other users or systems. Any hard-copy document in portable format (e.g., in *PostScript*, PDF, LWP, etc.) can be transmitted as a file ready to be printed by the end user.

From a received a physical document and an hyperlink  
 25 table, all multimedia services defined in the hyperlink table can be accessed and retrieved from the Web simply by

activating the hyperlinks by means of an opto-touch foil placed over the pages of the physical copy.

#### ACTIVATING HYPERLINKS FROM THE PHYSICAL COPY

As illustrated in Figure 10, an hyperlink table is associated with a physical (printed) copy of an electronic document (in the present example, the document is entitled **"Early British Kingdoms"**, (Doc: 387). The hyperlink table (608) is loaded in the user workstation (600). The method, described in Figure 9, for locating, visualizing and highlighting hyperlinked items on the physical copy, and for accessing information and/or services directly from the hyperlinked items highlighted on the pages of the physical copy, comprises the steps of:

- (901) selecting the hyperlink table associated with the physical copy by specifying the reference number of the physical copy;
- (902) selecting a page of the physical copy and specifying the page number;
- (903) identifying for the selected page the positions of hyperlinked items referring to the hyperlink table, said hyperlink table comprising for each page of the document, a list of hyperlinked items, and for each hyperlinked item, an indication of the position on an opto-touch foil;
- (904) illuminating (or visualizing, or highlighting) the position corresponding to each of said hyperlinked items by means of an opto-touch foil connected to the user workstation;

- (905) placing and aligning the opto-touch foil over (or under) the selected page;
- (906) selecting an hyperlinked item on the selected page by pressing the opto-touch foil on the illuminated point (light spot) corresponding to the selected hyperlinked item;
- (907) determining the position of the point pressed on the opto-touch foil;
- (908) identifying the selected hyperlinked item referring to the hyperlink table, this hyperlink table comprising an indication of the position of each hyperlinked item (illuminated item) on the selected page of the document;
- (909) identifying the information or/and the service associated with the selected illuminated item referring to the hyperlink table, this hyperlink table comprising for each illuminated item of the selected page the identification of the requested information and/or service within the user workstation or within the network (preferably by means of a destination address);
- (910) accessing the information and/or service;
- (911) retrieving and displaying this information and/or service on the user workstation.

#### (901) Specifying the Reference Number of the Physical Copy

By means of any user interface (keyboard, mouse, touch screen, ...) or any reading means (bar code reader ...), the user enters the reference number (identifier) of the physical document (e.g.: document 387) he wants to select. In the particular embodiment shown in Figure 6, the user

enters the reference number of the physical document (e.g.: Doc: 387) by means of an array of pressure sensible "touch buttons" printed on the opto-touch foil. The user presses in the following order:

- 5     • a touch button marked "Doc, (612) and then
- numerical touch buttons (613) corresponding to each digit of the physical document reference number (e.g., "3", "8" and "7").

10     This procedure gives access to the hyperlink table associated with this document.

#### (902) Selecting a Page and Highlighting Hyperlinks on the Selected Page

15     By means of any user interface (keyboard, mouse, touch screen ...) or any reading means (bar code reader ...),, the user enters the page of the physical document (or the portion of the document) (e.g.: page 16) he wants to select. In the particular embodiment shown in Figure 6, by means of the array of pressure sensible touch buttons printed on the opto-touch foil, the user enters the page number to select

20     (e.g.: Pg. 116). The opto-touch foil can be on any position (normally the opto-touch foil is placed over the page comprising the hyperlink to trigger). The user presses in the following order:

- 25     • a touch button marked as "Pg" (614), and then
- numerical touch buttons (613) corresponding to each digit of the page number (e.g., "1", "1" and "6" ) to select.

This procedure gives access to the selected page (e.g., Pg. 116) within the hyperlink table associated with the selected document (e.g., Doc: 387).

### (903) Identifying the Position of Predefined Hyperlinked

#### 5 Items referring to the Hyperlink Table

The page coordinates  $X_p$  and  $Y_p$  (501) of all the hyperlinked items (504) previously defined for the page (502) selected by the user are retrieved from the hyperlink table (608) and sent by the user workstation (600) to the  
10 opto-touch foil (605).

### (904) Illuminating the Positions Corresponding to each of said Predefined Hyperlinked Items

The opto-touch foil (605) receives the information sent by the user workstation (600). This information comprises  
15 the position (coordinates  $X_p$  and  $Y_p$ ) of each hyperlinked item defined on the selected page. The opto-touch foil decodes this information and visualizes (highlights or illumines) the position of each of the hyperlinked items (607).

### 20 (905) Placing and Aligning the Opto-touch Foil over the Selected Page of the Physical Copy

Once a physical document and a page have been selected, the opto-touch foil (605) generates one or a plurality of light spots (607) signaling that one or more hyperlinks have  
25 been defined for this page. Then, the opto-touch foil is:

- placed over (or under) the page, and

- aligned with the borders of the selected page by some conventional means (e.g., by adjusting the upper left corner of the touch foil with the upper left corner of the page).

5 As shown also on Figure 6, the opto-touch foil is placed and aligned over the selected page. The position of the light spots (607) emitted by the opto-touch foil corresponds to the position of the hyperlinked items defined for this page. The hyperlinked items appear through the transparent  
10 opto-touch foil and are identified by the user thanks to the light spots emitted by the opto-touch foil.

#### (906) Selecting an Illuminated Item on this Page

As shown in Figure 6, the user selects an (hyperlinked) item ("Avalon") on the page by pressing (e.g., by means of  
15 his fingertip) the opto-touch foil on the illuminated point (609) corresponding to the selected item.

#### (907) Determining the Position on the Page of the Point Pressed on the Opto-touch Foil

When a particular point on the opto-touch foil (605) is  
20 pressed, a signal is sent to the user workstation (600) to identify the selected item. This signal indicates the position on the page of the point that has been pressed by the user on the opto-touch foil. The generated signal is generally proportional to the coordinates ( $X_p/Y_p$ ) of the  
25 point that has been pressed. In our example, the opto-touch foil measures the position on the selected page of the point that has been pressed (near the light spot over the word

(908) Identifying the Selected Item

The illuminated item selected on the opto-touch foil  
5 (605) by the user is identified thanks to the hyperlink  
table. The hyperlink table comprises an indication of the  
coordinates  $X_p$  and  $Y_p$  (501) of each illuminated item (504)  
on each page (502) of the physical document. In our example,  
the coordinates measured by the opto-touch foil are around  
10 (close to)  $X_p=255$  and  $Y_p=150$ . They corresponds in the  
hyperlink table to the hyperlinked item "Avalon".

The hyperlink table comprises for each hyperlinked  
15 (illuminated) item (504) of each page (502) of the physical  
document the location within the network of the requested  
information and/or service (503). The information and/or  
service may be located by means of a destination address. In  
the Internet network, Web pages in Web Servers are  
20 identified by an URL (Uniform resource Locator). In our  
example, the hyperlink table associates the illuminated item  
"Avalon" with the URL :

(910) Accessing the Information and/or Service

25       The user workstation Web activates the hyperlink (destination address, URL, ...) associated in the hyperlink table, with the identified selected hyperlinked item. In our example, the hyperlink labeled "Avalon" is activated since



the system determines from the hyperlink table that, for this page (i.e., Pg. 116), Xp=255, Yp=150 are the physical coordinates of the hyperlinked item located the nearest to the pressed position. Thus, in this example, a simple  
 5 pressure near the illuminated item "Avalon" automatically activates the following hyperlink on the Web:

***<http://freespace.virgin.net/david.ford2/avalon.html>***

#### **(911) Retrieving and Displaying the requested Information and/or Service**

10 The information comprised at the selected destination address (URL) can be displayed (301) on the user workstation (300). Additional information (e.g., document number, page number, hyperlinked item, physical coordinates on the foil and URL) related to the hyperlinked (illuminated) item  
 15 selected by the user can be shown on the Web Browser along with the information retrieved from the Web Server.

The hyperlinked physical documents according to the present invention can be generated from electronic documents like, for example, technical manuals with illustrations and  
 20 flowcharts in *Microsoft Word*, the latest novels and biographies created by *Adobe PageMaker*, financial business analyses created in *QuarkXpress*, electronic dictionaries, encyclopedias, or even information published from an office application, like *Lotus SmartSuite* or information captured  
 25 from the Web.

What has been described is merely illustrative of the application of the principles of the present invention. Other arrangements and methods can be implemented by those

FR 9 2000 0051